

POMPE À CHALEUR FULL INVERTER



AVANTAGES PRODUIT



FONCTIONNE À PARTIR
DE -10°C



ÉCRAN DE CONTRÔLE
TACTILE



PILOTAGE À DISTANCE
VIA WI-FI



BÂCHE DE PROTECTION



PATINS ANTI-VIBRATION



2 RACCORDS
HYDRAULIQUES
(Ø50mm)




KITS D'ÉVACUATION
DES CONDENSATS

CARACTÉRISTIQUES

		RACER 7kW	RACER 9kW	RACER 12kW	RACER 15kW	RACER 20kW	RACER 20kW TRI
Dimensions (A x B x C cm)		61,5 x 88 x 31		65,9 x 93 x 32,3			
Volume piscine m³		25 - 35m³	25 - 40m³	35 - 55m³	55 - 75m³	60 - 80m³	60 - 80m³
Air 15°C eau 26°C	Capacité (kW)	5.49 ~ 1.50	7.70 ~ 1.83	9.37 ~ 2.17	10.37 ~ 2.51	14.01 ~ 4.61	14.01 ~ 4.61
	Alimentation électrique (kW)	1.18 ~ 0.23	1.58 ~ 0.25	1.8 ~ 0.25	2.1 ~ 0.35	3.17 ~ 0.503	3.17 ~ 0.503
	COP	7.11 ~ 4.75	7.17 ~ 4.87	7.23 ~ 4.93	7.09 ~ 4.93	6.99 ~ 4.92	6.99 ~ 4.92
Bruit à 10m (dB(A))		19 ~ 27	20 ~ 28	22 ~ 30	23 ~ 31	24 ~ 32	24 ~ 32
Marque du compresseur		GMCC					
Poids (kg)		48	51	53	55	60	60

ÉCHELLE DE DÉCIBELS



BOMBA DE CALOR FULL INVERTER



VENTAJAS DEL PRODUCTO



TRABAJA EN DESDE
-10°C



PANTALLA DE
CONTROL TÁCTIL



CONTROL REMOTO
MEDIANTE WI-FI



LONA PROTECTORA



ALMOHADILLAS
ANTIVIBRACIÓN



2 CONECTORES
HIDRÁULICOS
(Ø50mm)




KITS DE DRENAJE DE
CONDENSADOS

CARACTERÍSTICAS

		RACER 7kW	RACER 9kW	RACER 12kW	RACER 15kW	RACER 20kW	RACER 20kW TRI
Dimensiones (A x B x C cm)		61,5 x 88 x 31		65,9 x 93 x 32,3			
Volumen de la piscina m³		25 - 35m³	25 - 40m³	35 - 55m³	55 - 75m³	60 - 80m³	60 - 80m³
Aire 15°C Agua 26°C	Capacidad (kW)	5.49 ~ 1.50	7.70 ~ 1.83	9.37 ~ 2.17	10.37 ~ 2.51	14.01 ~ 4.61	14.01 ~ 4.61
	Alimentación eléctrica (kW)	1.18 ~ 0.23	1.58 ~ 0.25	1.8 ~ 0.25	2.1 ~ 0.35	3.17 ~ 0.503	3.17 ~ 0.503
	COP	7.11 ~ 4.75	7.17 ~ 4.87	7.23 ~ 4.93	7.09 ~ 4.93	6.99 ~ 4.92	6.99 ~ 4.92
Ruido a 10 m (dB(A))		19 ~ 27	20 ~ 28	22 ~ 30	23 ~ 31	24 ~ 32	24 ~ 32
Marca del compresor		GMCC					
Peso (kg)		48	51	53	55	60	60

ESCALA DECIBEL



HEAT PUMP FULL INVERTER



PRODUCT BENEFITS



WORKS FROM
-10°C



TOUCH CONTROL
SCREEN



REMOTE CONTROL
VIA WI-FI

ACCESSORIES INCLUDED



PROTECTIVE COVER



ANTI-VIBRATION PADS



2 HYDRAULIC
CONNECTORS
(Ø50mm)



CONDENSATE
DRAINAGE KITS

FEATURES

		RACER 7kW	RACER 9kW	RACER 12kW	RACER 15kW	RACER 20kW	RACER 20kW TRI
Dimensions (A x B x C cm)		61,5 x 88 x 31		65,9 x 93 x 32,3			
Pool volume m³		25 - 35m³	25 - 40m³	35 - 55m³	55 - 75m³	60 - 80m³	60 - 80m³
Air 15°C Water 26°C	Capacity (kW)	5.49 ~ 1.50	7.70 ~ 1.83	9.37 ~ 2.17	10.37 ~ 2.51	14.01 ~ 4.61	14.01 ~ 4.61
	Power supply (kW)	1.18 ~ 0.23	1.58 ~ 0.25	1.8 ~ 0.25	2.1 ~ 0.35	3.17 ~ 0.503	3.17 ~ 0.503
	COP	7.11 ~ 4.75	7.17 ~ 4.87	7.23 ~ 4.93	7.09 ~ 4.93	6.99 ~ 4.92	6.99 ~ 4.92
Noise at 10m (dB(A))		19 ~ 27	20 ~ 28	22 ~ 30	23 ~ 31	24 ~ 32	24 ~ 32
Compressor make		GMCC					
Weight (kg)		48	51	53	55	60	60

DECIBEL SCALE

